

Message

From: Nonresponsive based on revised scope
Sent: 10/7/2022 3:21:51 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: Shiloh Church Update

Morning Chris,

I should have revised figure 2's (confidential and publicly releasable) for you by this afternoon. A new figure is in the works for the properties that have not granted EPA access. This new figure (Figure 3) I should have as well this afternoon.

Nonresponsive based on revised scope

Tetra Tech | *Complex World, Clear Solutions™* | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | [tetrattech.com](https://www.tetrattech.com)

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Monday, October 3, 2022 9:03 PM
To: Nonresponsive based on revised scope
Subject: Automatic reply: Shiloh Church Update

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

I am out of the office on field assignment. I will be checking email after normal business hours. If you need to reach me, please telephone me at 804-337-3049

Thank you and please stay safe,
Chris Wagner, OSC
EPA Region 3